

47

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 10-Apr-2015

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

**Product Name:** 

CONTEMPO CARPET REFRESHER

6410

Product Number: Recommended Use:

Uses Advised Against:

Carpet deodorant

For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak:

CHEMTREC 800-424-9300

## 2 HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable Aerosols Gases Under Pressure Category 1 Liquefied gas

GHS Label Elements

Signal Word:

Symbols:

Danger



Hazard Statements:

Extremely flammable aerosol.

Contains gas under pressure, may explode if heated

Precautionary Statements:

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. -- No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal.

Response:

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage:

Protectf rom sunlight. Do not expose to temperatures exceeding 50 °C/122 °F Protect from

sunlight. Store in a well-ventilated place

Disposal:

Not Applicable

Hazards Not Otherwise Classified: Not Applicable

Other Information:

- · May cause skin irritation.
- · May cause eye irritation.
- · May be harmful if swallowed.
- · Inhalation of vapors or mist may cause respiratory irritation.
- · Extinguish all flames, pilot lights and other sources of ignition before using this product.

Vapors can travel along the floor to a source of ignition and start a fire.

· Keep out of reach of children.

#### 3/COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	60-100
propane	74-98-6	3-7
N-butane	106-97-8	1-5
ethanol	64-17-5	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4 FIRST AID MEASURES

-Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and

-Skin Contact:

easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention.

-Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion:

Rinse mouth, Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

Note to Physicians:

Treat symptomatically.

#### 5 FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Specific Hazards Arising from the Chemical:

Chemicai.

**Hazardous Combustion Products:** 

Water spray (fog), Foam

Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Bursting aerosol containers may be propelled from fire at high speed.

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Precautions for Firefighters:

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up

and possible auto ignition or explosion when exposed to extreme heat.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

#### 7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Extinguish all flames, pilot lights and other sources of ignition before using this product. Vapors can travel along the floor to a source of ignition and start a fire. Wash thoroughly after handling.

Storage Conditions:

NFPA 30B Level 1 Aerosol.D o not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep out of the reach of children.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
propane 74-98-6	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m <sup>3</sup>
N-butane 106-97-8	TWA: 1000 ppm	(vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 800 ppm TWA: 1900 mg/m³
ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

Engineering Controls:

Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

Eye/Face Protection:

Not required with expected use. Not required with expected use. Not required with expected use.

Skin and Body Protection: Respiratory Protection:

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations:

Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Aerosol	
Color:	White	
Odor:	Pleasant	
pH:	7.5-8.0	
Melting Point / Freezing Point:	No information available.	
Boiling Point / Boiling Range:	93 °C / 199° F (Product without ropellant)	
Flash Point:	< -18° C / < 0° F (Propellant-estimated)	
Evaporation Rate:	< 1 (Butyl acetate = 1)	
Flammability (solid, gas)	No information available.	
Upper Flammability Limit:	No information available.	
Lower Flammability Limit:	No information available.	
Vapor Pressure:	No information available.	
Vapor Density:	No information available.	
Specific Gravity:	0.98-0.99 (Product without propellant)	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No information available.	
Autoignition Temperature:	No information available.	
Decomposition Temperature:	No information available.	
Viscosity:	No information available.	

## 10. STABILITY AND REACTIVITY

Reactivity:

This material is considered to be non-reactive under normal conditions of use.

Chemical Stability:

Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Incompatible Materials: Extremes of temperature and direct sunlight.

Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

#### 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:

Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure: -Eye Contact:

Pain and redness.

-Skin Contact:

Drying of the skin.

-Inhalation: -Ingestion:

Nasal discomfort and coughing. Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:

Data not available or insufficient for classification.

Target Organ Effects:

Blood, Central nervous system, -Eyes, Liver, Reproductive System, Respiratory System,

-Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral):

31635 mg/kg

ATEmix (inhalation-gas): ATEmix (inhalation-dust/mist): 3153416 mg/l 36,7 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat) 4 h
N-butane 106-97-8	Not Available	Not Available	≃ 658 mg/L (Rat) 4 h
ethanol 64-17-5	= 7060 mg/kg (Rat)	Not Avallable	= 124.7 mg/L (Rat) 4 h

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

#### 12.ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
ethanol 64-17-5	Not Available	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	Not Avaliable	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence and Degradability:

No information available.

**Bioaccumulation:** 

No information available.

Other Adverse Effects:

No information available.

#### 13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:

Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging:

Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT:

UN/ID No:

UN1950

Proper Shipping Name:

Aerosols

Hazard Class:

Special Provisions:

This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity.

Shipping descriptions may vary based on mode of transport, quantities, package size. and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

## // 15 REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard: Chronic Health Hazard: Yes Nο

Fire Hazard:

Yes

Sudden release of pressure hazard:

Yes No

Reactive Hazard: California Proposition 65

juct contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
othano! - 64-17-5	Carcinogen Developmental
formaldehyde - 50-00-0	Carcinogen
methanol - 67-56-1	Developmental
acetaldehyde - 75-07-0	Carcinogen
dioxane - 123-91-1	Carcinogen

WARNING: This product contains a chemical known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

## 16. OITHER INFORMATION

NFPA\_

Health Hazards: 1

Flammability: 2

Instability: 0

Special: N/A

HMIS\_

Health Hazards: 1

Flammability: 2

Physical Hazards: 2

Revision Date:

10-Apr-2015

Reasons for Revision:

No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet